

AUTO-M



AUTO-M


- ✓ Dostęp do konserwacji z przodu urządzenia
- ✓ nie jest potrzebne sprężone powietrze
- ✓ Certyfikat ATEX dla pyłu wybuchowego w kategoriach St1, St2 i St3
- ✓ Wydajny, automatyczna elektryczna wstrząsarka
- ✓ Odporny na warunki atmosferyczne, do posadowienia na zewnątrz

Seria Auto M firmy Nederman to najnowsza generacja niezawodnych, mechanicznie czyszczonych, prostych odpylaczy; odpowiednie do okresowej pracy na stanowiskach produkcyjnych, handlowych i szkoleniowych. Odpylacz jest kompaktowy, niewielkich rozmiarów, łatwy do czyszczenia z zewnątrz; solidna, odporna na warunki atmosferyczne konstrukcja spawana.

AUTO-M

Certyfikaty	CE, EX
Instalacja	na zewnątrz, wewnątrz
Odpowiedni dla łatwopalnego pyłu	True
Metoda czyszczenia filtra	wstrząsanie
[ProductApplication]	pył
Objętość pojemnika na pył (l)	75 lub 150

Models

	Item number	Rodzaj filtra	Ilość elementów filtracyjnych	Waga (kg)	Moc (kW)
	Z 7,5	Worek	1	210	3
	Z 15	Worek	1	250	3
	Z 25	Worek	1	385	7,5
	Z 30	Worek	1	425	7,5
	Z 50	Worek	1	655	15
	Z 60	Worek	1	755	15
	Z 75	Worek	1	900	15
	Z 90	Worek	1	1035	15

Accessories

	Accessory	Item number
	AutoM control cabinet type 5GM13 for frequency inverter fan control, power up to 1,1kW/400VAC ELC-5GM13-011-400	7909062
	AutoM control cabinet type 5GM13 for frequency inverter fan control, power up to 3,0kW/400VAC ELC-5GM13-030-400	7909063
	AutoM control cabinet type 5GM13 for frequency inverter fan control, power up to 5,5kW/400VAC ELC-5GM13-055-400	7909064
	AutoM control cabinet type 5GM13 for frequency inverter fan control, power up to 11,0kW/400VAC ELC-5GM13-110-400	7909065
	AutoM control cabinet type 5GM13 for frequency inverter fan control, power up to 15,0kW/400VAC ELC-5GM13-150-400	7909066
	AutoM 7,5 filter bag NF101 - 3 seams (standard)	73005563
	AutoM 7,5 filter bag NF133 - 3 seams (standard)	73005565
	AutoM 15 filter bag NF101 - 3 seams (standard)	73005576
	AutoM 15 filter bag NF133 - 3 seams (standard)	73005578
	AutoM 15 filter bag NF205 - 3 seams (standard)	73005580
	AutoM 15 filter bag NF207 - 3 seams (standard)	73005581
	AutoM 25 filter bag NF101 - 3 seams (standard)	73005587
	AutoM 25 filter bag NF133 - 3 seams (standard)	73005589

Accessories

	Accessory	Item number
	AutoM 25 filter bag NF205 - 3 seams (standard)	73005591
	Auto M 25 filter bag NF207 - 3 seams (standard)	73005592
	AutoM 30 filter bag NF101 - 3 seams (standard)	73005594
	AutoM 30 filter bag NF133 - 3 seams (standard)	73005596
	AutoM 30 filter bag NF205 - 3 seams (standard)	73005598
	AutoM 30 filter bag NF207 - 3 seams (standard)	73005599
	Frequency inverter with 2 kPa pressure sensor. 1,5kW. IP66 enclosure	73008913
	Frequency inverter with 2kPa pressure sensor. 2,2kW. IP66 enclosure	73008914
	Frequency inverter with 2kPa pressure sensor. 4kW. IP66 enclosure	73008915
	Frequency inverter with 2kPa pressure sensor. 5,5kW. IP66 enclosure	73008916
	Frequency inverter with 5kPa pressure sensor. 7,5kW. IP66 enclosure	73008917
	Frequency inverter with 5kPa pressure sensor. 11kW. IP66 enclosure.	73008918
	Frequency inverter with 5kPa pressure sensor. 15kW. IP66 enclosure	73008919

