

Wentylator FM

Wysoko skuteczny wentylator przeznaczony do filtrów FM



Wentylator FM

Wentylatory FM przeznaczone są do bezpośredniego montażu w komorze czystego powietrza jednostek filtracyjnych FM. Wentylatory FM cechują się wysoką skutecznością przy niskim poziomie hałasu i nie przeciążają silnika. Rezultatem jest bezpieczny i niezawodny system o minimalnym poborze mocy pod zmniejszonym obciążeniem. Wentylatory są dostępne wyłącznie w wersji RD.


Wentylator FM

Instalacja	wewnątrz, na zewnątrz
------------	-----------------------

Models

	Item number	Napięcie zasilania (V)	Częstotliwość (Hz)	Liczba faz	Waga (kg)	Moc (kW)
	5501498	230/400	50	3	74	3
	5501537	400/690	50	3	83	4
	5501538	230/400	50	3	83	4
	5501576	230/400	50	3	95	5,5
	5501575	400/690	50	3	95	5,5
	5501612	400/690	50	3	150	7,5
	5501659	400/690	50	3	166	11
	5501660	230/400	50	3	166	11
	5501699	400/690	50	3	180	15
	5501700	230/400	50	3	180	15
	5501741	400/690	50	3	260	18,5
	5501742	230/400	50	3	260	18,5

Accessories

	Accessory	Item number
	Dual Silencer, Range "Grille"	5501813
	Dual Silencer, Range "Grille"	5501830
	Dual Silencer, Range "Grille"	5501854
	Dual Silencer for FM600 Range, With Rain Shield	5501814
	Dual Silencer, Range "Rain"	5501832
	Dual Silencer, Range "Rain"	5501855
	Dual Silencer, Range "Flange"	5501815
	Dual Silencer, Range "Flange"	5501833
	Dual Silencer, Range "Flange"	5501856
	Sound Box, FM 620 / 622 / 625	5501783
	Sound Box, FM 825 / 831 / 835	5501784
	Sound Box, FM 1000	5501799

