

QFS Grenrør

Grenrør (30 grader) for QFS rørsystemer



QFS Grenrør

Grenrør (30 grader) for QFS rørsystemer

QFS Grenrør

Sluttype A	QF
Sluttype B	QF
Sluttype C	QF
Vinkel grad	30

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003177	0,7mm	80	80	80	0,8
	8240003178	0,7mm	100	80	80	0,87
	8240003179	0,7mm	100	80	100	0,93
	8240003180	0,7mm	100	100	100	1,09
	8240003181	0,7mm	125	80	80	0,97
	8240003182	0,7mm	125	80	100	1,02
	8240003183	0,7mm	125	80	125	1,09
	8240003184	0,7mm	125	100	100	1,19
	8240003185	0,7mm	125	100	125	1,26
	8240003186	0,7mm	125	125	125	1,5
	8240003187	0,7mm	140	80	80	1,02
	8240003188	0,7mm	140	80	100	1,08
	8240003189	0,7mm	140	80	125	1,15

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003190	0,7mm	140	80	140	1,19
	8240003191	0,7mm	140	100	100	1,25
	8240003192	0,7mm	140	100	125	1,33
	8240003193	0,7mm	140	100	140	1,37
	8240003194	0,7mm	140	125	125	1,57
	8240003195	0,7mm	140	125	140	1,62
	8240003196	0,7mm	140	140	140	1,77
	8240003201	0,7mm	150	80	150	1,25
	8240003211	0,7mm	150	150	150	1,97
	8240003212	0,7mm	160	80	80	1,1
	8240003213	0,7mm	160	80	100	1,15
	8240003214	0,7mm	160	80	125	1,22
	8240003215	0,7mm	160	80	140	1,27

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003217	0,7mm	160	80	160	1,32
	8240003218	0,7mm	160	100	100	1,34
	8240003219	0,7mm	160	100	125	1,41
	8240003220	0,7mm	160	100	140	1,46
	8240003222	0,7mm	160	100	160	1,52
	8240003223	0,7mm	160	125	125	1,67
	8240003224	0,7mm	160	125	140	1,71
	8240003226	0,7mm	160	125	160	1,77
	8240003227	0,7mm	160	140	140	1,88
	8240003229	0,7mm	160	140	160	1,94
	8240003232	0,7mm	160	160	160	2,17
	8240003234	0,7mm	180	80	100	1,25
	8240003235	0,7mm	180	80	125	1,32

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003236	0,7mm	180	80	140	1,36
	8240003238	0,7mm	180	80	160	1,41
	8240003239	0,7mm	180	80	180	1,48
	8240003240	0,7mm	180	100	100	1,44
	8240003241	0,7mm	180	100	125	1,51
	8240003242	0,7mm	180	100	140	1,56
	8240003244	0,7mm	180	100	160	1,62
	8240003245	0,7mm	180	100	180	1,69
	8240003246	0,7mm	180	125	125	1,78
	8240003247	0,7mm	180	125	140	1,82
	8240003249	0,7mm	180	125	160	1,89
	8240003250	0,7mm	180	125	180	1,96
	8240003251	0,7mm	180	140	140	1,99

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003253	0,7mm	180	140	160	2,06
	8240003254	0,7mm	180	140	180	2,13
	8240003258	0,7mm	180	160	160	2,3
	8240003259	0,7mm	180	160	180	2,37
	8240003260	0,7mm	180	180	180	2,66
	8240003262	0,7mm	200	80	100	1,32
	8240003263	0,7mm	200	80	125	1,4
	8240003264	0,7mm	200	80	140	1,44
	8240003266	0,7mm	200	80	160	1,49
	8240003267	0,7mm	200	80	180	1,56
	8240003268	0,7mm	200	80	200	1,62
	8240003269	0,7mm	200	100	100	1,53
	8240003270	0,7mm	200	100	125	1,6

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003271	0,7mm	200	100	140	1,65
	8240003273	0,7mm	200	100	160	1,71
	8240003274	0,7mm	200	100	180	1,78
	8240003275	0,7mm	200	100	200	1,84
	8240003276	0,7mm	200	125	125	1,88
	8240003277	0,7mm	200	125	140	1,91
	8240003279	0,7mm	200	125	160	1,99
	8240003280	0,7mm	200	125	180	2,06
	8240003281	0,7mm	200	125	200	2,13
	8240003282	0,7mm	200	140	140	2,1
	8240003284	0,7mm	200	140	160	2,16
	8240003285	0,7mm	200	140	180	2,24
	8240003286	0,7mm	200	140	200	2,31

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003290	0,7mm	200	150	200	2,43
	8240003291	0,7mm	200	160	160	2,41
	8240003292	0,7mm	200	160	180	2,49
	8240003293	0,7mm	200	160	200	2,56
	8240003294	0,7mm	200	180	180	2,78
	8240003295	0,7mm	200	180	200	2,85
	8240003296	0,7mm	200	200	200	3,13
	8240003306	0,7mm	224	100	100	1,63
	8240003307	0,7mm	224	100	125	1,71
	8240003308	0,7mm	224	100	140	1,75
	8240003310	0,7mm	224	100	160	1,81
	8240003311	0,7mm	224	100	180	1,89
	8240003312	0,7mm	224	100	200	1,95

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003313	0,7mm	224	100	224	2,02
	8240003314	0,7mm	224	125	125	1,99
	8240003315	0,7mm	224	125	140	2,04
	8240003317	0,7mm	224	125	160	2,11
	8240003318	0,7mm	224	125	180	2,18
	8240003319	0,7mm	224	125	200	2,25
	8240003320	0,7mm	224	125	224	2,32
	8240003321	0,7mm	224	140	140	2,23
	8240003323	0,7mm	224	140	160	2,29
	8240003324	0,7mm	224	140	180	2,37
	8240003325	0,7mm	224	140	200	2,44
	8240003326	0,7mm	224	140	224	2,51
	8240003332	0,7mm	224	160	160	2,55

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003333	0,7mm	224	160	180	2,63
	8240003334	0,7mm	224	160	200	2,7
	8240003335	0,7mm	224	160	224	2,78
	8240003336	0,7mm	224	180	180	2,93
	8240003337	0,7mm	224	180	200	3
	8240003338	0,7mm	224	180	224	3,08
	8240003339	0,7mm	224	200	200	3,29
	8240003340	0,7mm	224	200	224	3,37
	8240003341	0,7mm	224	224	224	3,74
	8240003347	0,7mm	250	80	160	1,69
	8240003348	0,7mm	250	80	180	1,76
	8240003349	0,7mm	250	80	200	1,82
	8240003351	0,7mm	250	80	250	1,96

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003352	0,7mm	250	100	100	1,75
	8240003353	0,7mm	250	100	125	1,82
	8240003354	0,7mm	250	100	140	1,87
	8240003356	0,7mm	250	100	160	1,93
	8240003357	0,7mm	250	100	180	2
	8240003358	0,7mm	250	100	200	2,06
	8240003359	0,7mm	250	100	224	2,13
	8240003360	0,7mm	250	100	250	2,21
	8240003361	0,7mm	250	125	125	2,13
	8240003362	0,7mm	250	125	140	2,17
	8240003364	0,7mm	250	125	160	2,24
	8240003365	0,7mm	250	125	180	2,32
	8240003366	0,7mm	250	125	200	2,38

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003367	0,7mm	250	125	224	2,46
	8240003368	0,7mm	250	125	250	2,54
	8240003369	0,7mm	250	140	140	2,36
	8240003371	0,7mm	250	140	160	2,43
	8240003372	0,7mm	250	140	180	2,51
	8240003373	0,7mm	250	140	200	2,58
	8240003374	0,7mm	250	140	224	2,66
	8240003375	0,7mm	250	140	250	2,74
	8240003381	0,7mm	250	150	250	2,88
	8240003382	0,7mm	250	160	160	2,7
	8240003383	0,7mm	250	160	180	2,78
	8240003384	0,7mm	250	160	200	2,85
	8240003385	0,7mm	250	160	224	2,94

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003386	0,7mm	250	160	250	3,02
	8240003387	0,7mm	250	180	180	3,09
	8240003388	0,7mm	250	180	200	3,17
	8240003389	0,7mm	250	180	224	3,25
	8240003390	0,7mm	250	180	250	3,34
	8240003391	0,7mm	250	200	200	3,47
	8240003392	0,7mm	250	200	224	3,55
	8240003393	0,7mm	250	200	250	3,65
	8240003394	0,7mm	250	224	224	3,94
	8240003395	0,7mm	250	224	250	4,03
	8240003396	0,7mm	250	250	250	4,47
	8240003397	0,7mm	300	100	100	1,98
	8240003398	0,7mm	300	100	125	2,05

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003399	0,7mm	300	100	140	2,1
	8240003401	0,7mm	300	100	160	2,16
	8240003402	0,7mm	300	100	180	2,23
	8240003403	0,7mm	300	100	200	2,29
	8240003404	0,7mm	300	100	224	2,36
	8240003405	0,7mm	300	100	250	2,44
	8240003406	0,7mm	300	100	300	2,58
	8240003407	0,7mm	300	125	125	2,38
	8240003408	0,7mm	300	125	140	2,43
	8240003410	0,7mm	300	125	160	2,49
	8240003411	0,7mm	300	125	180	2,57
	8240003412	0,7mm	300	125	200	2,64
	8240003413	0,7mm	300	125	224	2,71

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003414	0,7mm	300	125	250	2,8
	8240003415	0,7mm	300	125	300	2,95
	8240003416	0,7mm	300	140	140	2,63
	8240003418	0,7mm	300	140	160	2,7
	8240003419	0,7mm	300	140	180	2,78
	8240003420	0,7mm	300	140	200	2,85
	8240003421	0,7mm	300	140	224	2,93
	8240003422	0,7mm	300	140	250	3,02
	8240003423	0,7mm	300	140	300	3,18
	8240003431	0,7mm	300	160	160	2,99
	8240003432	0,7mm	300	160	180	3,08
	8240003433	0,7mm	300	160	200	3,15
	8240003434	0,7mm	300	160	224	3,23

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003435	0,7mm	300	160	250	3,32
	8240003436	0,7mm	300	160	300	3,49
	8240003437	0,7mm	300	180	180	3,41
	8240003438	0,7mm	300	180	200	3,49
	8240003439	0,7mm	300	180	224	3,57
	8240003440	0,7mm	300	180	250	3,67
	8240003441	0,7mm	300	180	300	3,84
	8240003442	0,7mm	300	200	200	3,8
	8240003443	0,7mm	300	200	224	3,9
	8240003444	0,7mm	300	200	250	3,99
	8240003445	0,7mm	300	200	300	4,17
	8240003446	0,7mm	300	224	224	4,3
	8240003447	0,7mm	300	224	250	4,41

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003448	0,7mm	300	224	300	4,59
	8240003449	0,7mm	300	250	250	4,87
	8240003450	0,7mm	300	250	300	5,06
	8240003451	0,7mm	300	300	300	6,03
	8240003452	0,7mm	315	100	100	2,08
	8240003453	0,7mm	315	100	125	2,15
	8240003454	0,7mm	315	100	140	2,19
	8240003456	0,7mm	315	100	160	2,25
	8240003457	0,7mm	315	100	180	2,32
	8240003458	0,7mm	315	100	200	2,38
	8240003459	0,7mm	315	100	224	2,45
	8240003460	0,7mm	315	100	250	2,53
	8240003461	0,7mm	315	100	300	2,68

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003462	0,7mm	315	100	315	2,75
	8240003463	0,7mm	315	125	125	2,48
	8240003464	0,7mm	315	125	140	2,53
	8240003466	0,7mm	315	125	160	2,59
	8240003467	0,7mm	315	125	180	2,67
	8240003468	0,7mm	315	125	200	2,74
	8240003469	0,7mm	315	125	224	2,81
	8240003470	0,7mm	315	125	250	2,9
	8240003471	0,7mm	315	125	300	3,06
	8240003472	0,7mm	315	125	315	3,13
	8240003473	0,7mm	315	140	140	2,74
	8240003475	0,7mm	315	140	160	2,81
	8240003476	0,7mm	315	140	180	2,89

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003477	0,7mm	315	140	200	2,96
	8240003478	0,7mm	315	140	224	3,04
	8240003479	0,7mm	315	140	250	3,13
	8240003480	0,7mm	315	140	300	3,29
	8240003481	0,7mm	315	140	315	3,36
	8240003490	0,7mm	315	160	160	3,1
	8240003491	0,7mm	315	160	180	3,19
	8240003492	0,7mm	315	160	200	3,26
	8240003493	0,7mm	315	160	224	3,35
	8240003494	0,7mm	315	160	250	3,44
	8240003495	0,7mm	315	160	300	3,61
	8240003496	0,7mm	315	160	315	3,68
	8240003497	0,7mm	315	180	180	3,53

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003498	0,7mm	315	180	200	3,6
	8240003499	0,7mm	315	180	224	3,69
	8240003500	0,7mm	315	180	250	3,79
	8240003501	0,7mm	315	180	300	3,96
	8240003502	0,7mm	315	180	315	4,04
	8240003503	0,7mm	315	200	200	3,93
	8240003504	0,7mm	315	200	224	4,02
	8240003505	0,7mm	315	200	250	4,12
	8240003506	0,7mm	315	200	300	4,31
	8240003507	0,7mm	315	200	315	4,38
	8240003508	0,7mm	315	224	224	4,44
	8240003509	0,7mm	315	224	250	4,54
	8240003510	0,7mm	315	224	300	4,73

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003511	0,7mm	315	224	315	4,81
	8240003512	0,7mm	315	250	250	5,01
	8240003513	0,7mm	315	250	300	5,21
	8240003514	0,7mm	315	250	315	5,29
	8240003515	0,7mm	315	300	300	6,2
	8240003516	0,7mm	315	300	315	6,28
	8240003517	0,7mm	315	315	315	6,66
	8240003518	0,7mm	350	125	125	2,67
	8240003519	0,7mm	350	125	140	2,72
	8240003521	0,7mm	350	125	160	2,78
	8240003522	0,7mm	350	125	180	2,86
	8240003523	0,7mm	350	125	200	2,92
	8240003524	0,7mm	350	125	224	3

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003525	0,7mm	350	125	250	3,08
	8240003526	0,7mm	350	125	300	3,24
	8240003527	0,7mm	350	125	315	3,31
	8240003528	0,7mm	350	125	350	3,42
	8240003529	0,7mm	350	140	140	2,94
	8240003531	0,7mm	350	140	160	3
	8240003532	0,7mm	350	140	180	3,09
	8240003533	0,7mm	350	140	200	3,15
	8240003534	0,7mm	350	140	224	3,24
	8240003535	0,7mm	350	140	250	3,32
	8240003536	0,7mm	350	140	300	3,49
	8240003537	0,7mm	350	140	315	3,56
	8240003538	0,7mm	350	140	350	3,68

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003548	0,7mm	350	160	160	3,31
	8240003549	0,7mm	350	160	180	3,4
	8240003550	0,7mm	350	160	200	3,47
	8240003551	0,7mm	350	160	224	3,56
	8240003552	0,7mm	350	160	250	3,65
	8240003553	0,7mm	350	160	300	3,82
	8240003554	0,7mm	350	160	315	3,9
	8240003555	0,7mm	350	160	350	4,02
	8240003556	0,7mm	350	180	180	3,75
	8240003557	0,7mm	350	180	200	3,83
	8240003558	0,7mm	350	180	224	3,92
	8240003559	0,7mm	350	180	250	4,01
	8240003560	0,7mm	350	180	300	4,2

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003561	0,7mm	350	180	315	4,27
	8240003562	0,7mm	350	180	350	4,4
	8240003563	0,7mm	350	200	200	4,17
	8240003564	0,7mm	350	200	224	4,27
	8240003565	0,7mm	350	200	250	4,37
	8240003566	0,7mm	350	200	300	4,56
	8240003567	0,7mm	350	200	315	4,63
	8240003568	0,7mm	350	200	350	4,76
	8240003569	0,7mm	350	224	224	4,7
	8240003570	0,7mm	350	224	250	4,81
	8240003571	0,7mm	350	224	300	5
	8240003572	0,7mm	350	224	315	5,08
	8240003573	0,7mm	350	224	350	5,22

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003574	0,7mm	350	250	250	5,3
	8240003575	0,7mm	350	250	300	5,5
	8240003576	0,7mm	350	250	315	5,59
	8240003577	0,7mm	350	250	350	5,72
	8240003578	0,7mm	350	300	300	6,52
	8240003579	0,7mm	350	300	315	6,61
	8240003580	0,7mm	350	300	350	6,76
	8240003581	0,7mm	350	315	315	7
	8240003582	0,7mm	350	315	350	7,14
	8240003583	0,7mm	350	350	350	7,94
	8240003585	0,9mm	400	125	140	3,82
	8240003587	0,9mm	400	125	160	3,9
	8240003588	0,9mm	400	125	180	3,99

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003589	0,9mm	400	125	200	4,07
	8240003590	0,9mm	400	125	224	4,17
	8240003591	0,9mm	400	125	250	4,27
	8240003592	0,9mm	400	125	300	4,46
	8240003593	0,9mm	400	125	315	4,55
	8240003594	0,9mm	400	125	350	4,68
	8240003595	0,9mm	400	125	400	4,88
	8240003596	0,9mm	400	140	140	4,12
	8240003598	0,9mm	400	140	160	4,2
	8240003599	0,9mm	400	140	180	4,3
	8240003600	0,9mm	400	140	200	4,39
	8240003601	0,9mm	400	140	224	4,49
	8240003602	0,9mm	400	140	250	4,6

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003603	0,9mm	400	140	300	4,8
	8240003604	0,9mm	400	140	315	4,89
	8240003605	0,9mm	400	140	350	5,03
	8240003606	0,9mm	400	140	400	5,24
	8240003617	0,9mm	400	160	160	4,62
	8240003618	0,9mm	400	160	180	4,73
	8240003619	0,9mm	400	160	200	4,82
	8240003620	0,9mm	400	160	224	4,93
	8240003621	0,9mm	400	160	250	5,04
	8240003622	0,9mm	400	160	300	5,27
	8240003623	0,9mm	400	160	315	5,35
	8240003624	0,9mm	400	160	350	5,51
	8240003625	0,9mm	400	160	400	5,72

Modeller


	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003626	0,9mm	400	180	180	5,2
	8240003627	0,9mm	400	180	200	5,29
	8240003628	0,9mm	400	180	224	5,41
	8240003629	0,9mm	400	180	250	5,53
	8240003630	0,9mm	400	180	300	5,76
	8240003631	0,9mm	400	180	315	5,86
	8240003632	0,9mm	400	180	350	6,02
	8240003633	0,9mm	400	180	400	6,24
	8240003634	0,9mm	400	200	200	5,76
	8240003635	0,9mm	400	200	224	5,88
	8240003636	0,9mm	400	200	250	6,01
	8240003637	0,9mm	400	200	300	6,25
	8240003638	0,9mm	400	200	315	6,35

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003639	0,9mm	400	200	350	6,52
	8240003640	0,9mm	400	200	400	6,75
	8240003641	0,9mm	400	224	224	6,47
	8240003642	0,9mm	400	224	250	6,6
	8240003643	0,9mm	400	224	300	6,86
	8240003644	0,9mm	400	224	315	6,96
	8240003645	0,9mm	400	224	350	7,13
	8240003646	0,9mm	400	224	400	7,37
	8240003647	0,9mm	400	250	250	7,29
	8240003648	0,9mm	400	250	300	7,57
	8240003649	0,9mm	400	250	315	7,68
	8240003650	0,9mm	400	250	350	7,86
	8240003651	0,9mm	400	250	400	8,12

Modeller

	Item number	[ItemMaterialThickness]	Diameter A	Diameter B	Diameter C	Vægt
	8240003652	0,9mm	400	300	300	8,94
	8240003653	0,9mm	400	300	315	9,07
	8240003654	0,9mm	400	300	350	9,26
	8240003655	0,9mm	400	300	400	9,53
	8240003656	0,9mm	400	315	315	9,55
	8240003657	0,9mm	400	315	350	9,71
	8240003658	0,9mm	400	315	400	9,99
	8240003659	0,9mm	400	350	350	10,78
	8240003660	0,9mm	400	350	400	11,06
	8240003661	0,9mm	400	400	400	12,7



$L_1 = (\varnothing_2 \times 2) + 236$ $L_2 = (\varnothing_2 / 2) + 58$ $\varnothing_3$ must be smaller than or equal to $\varnothing_1$ $\varnothing_2$ must be smaller than or equal to $\varnothing_3$