

Producto leaflet

Hose Reel 888

Medium sized open hose reel.



Hose Reel 888

- ✓ Outlet position can be adjusted through 120° for optimum pull-out and pull-in angle.
- ✓ Spring power can easily be adjusted from the outside.
- ✓ Ratchet easily disengaged when required.

Thanks to the open design, the reels are very easy to service, maintain and keep clean. Can be installed on wall or on the ceiling.

Hose Reel 888

Certificaciones	[ce]
[ProductMedia]	Aire comprimido, Agua, Agua a alta presión, Aceite, Alimentos, Grasa

Modelos

No. De Artfculo

Accessories

	Accesorio	No. De Artículo
	Pivoting bracket.	30372407
	Water gun in chromium plated brass. Max. temperature 95°C	30400110
	Water gun in stainless steel 316. Max. temperature 95°C	30400210
	Watergun EX in stainless steel 316. Max. temperature 95°C	30400211
	Water gun in stainless steel 316. Max. temperature 95°C	30400310
	Swivelling coupling 3/8(m)-3/8(m)HP	30431310
	Swiv. coupling 3/8(m)-3/8(m) HP SS	30431410
	Swivl. coupl.1/2(m)-3/8(f) brass	30431510
	Swivl. coupl.1/2(m)-1/2(f) brass	30431610
	Swivel coupling 1/2(m)- 3/4 (f) bra	30431710
	Swivl. coupl. 1/2(m)-3/8(f) SS	30431810
	Swivl coupl. 1/2(m)-1/2(f) SS	30431910
	Swivl. coupl.1/2(m)-3/4(f) SS	30432010

Accessories

	Accesorio	No. De Artículo
	Inlet kit for hose reel 1/2"	30511550
	Inlet kit for hose reel 3/8" with ball valve 3/8", 3/8"-3/8" adapter and 1/4" - 3/8" adapter.	30511650

