

Product leaflet

Exhaust Nozzles

High temperature resistant rubber and metal exhaust hoses



Nederman Exhaust Nozzles

Exhaust Nozzles

- Easy manual connection and disconnection of the exhaust nozzles
- Well proven nozzles with a soft capturing hood that protects employees and vehicles
- The nozzles are resistant to high exhaust temperature up to 150°C (300°F) for rubber nozzles and up to 400°C (750°F) for metal nozzles, in normal use.

Nederman offers an extensive range of robust rubber and metal vehicle exhaust extraction nozzles to accommodate various types of vehicles. Adjustable test funnels with special design to handle large volumes of hot exhaust. Also available with adjustable floor stand to accommodate most exhaust pipe positions and designs.

2025-12-04 2/6

Nederman Exhaust Nozzles

Exhaust Nozzles

[ProductCertifications]	[ce]
[ProductInstallation]	[Indoor]

Nederman

Models

	ltem no	Max exhaust pipe, diameter. Dual (in)	Vehicle type	Max exhaust pipe, single (in)	Hose connection Diameter (in)	Hose length (ft)
	20803161	12	[heavy]	6	4	
	20803361		[heavy]	6	6	
-	20803561	4x3	[car]	3	4	
6	20805961	n.a.	[heavy]	6	6	
	20806961	9.5 x 9	[heavy]	7	6	
	20807061	9.5 x 9	[heavy]	9	8	
	20802561	6 x 4,5	[car]	4	4	
	20804761	n.a.	[heavy]	5	6	
	20804961	n.a.	[heavy]	7	8	
	20867261	9.5 x (3-4)	[car]	2-3	4	
1	20868361		[car]		4	
Carlotte .	20816861		[car]		150	
	20807261		[heavy]		200	

Nederman

5/6

Models

	Item no	Max exhaust pipe, diameter. Dual (in)	Vehicle type	Max exhaust pipe, single (in)	Hose connection Diameter (in)	Hose length (ft)
or a	20817061		[heavy]		150	1
00	20817161		[heavy]		150	
Ł	20816961				3	1
	20808861	n.a.	[heavy]	10	5/6/7	
	89299170					
	89298076					
	89298103					
	89298104					
	88000315					
	88000653					

Nederman Exhaust Nozzles

Accessories

	Accessory	ltem no
	Adapter for double exhaust pipes Diameter = 4 in (100 mm) Length 3 ft (1 m)	20815061
/	Telescopic lifting pole 10 ft (3 m) for 20808861, 20816661, 20816761 nozzles	20374287

2025-12-04 6/6