

# Uitlaatgasslang NR-CP

Overrijdbare rubberen uitlaatgasslang



## Uitlaatgasslang NR-CP

- ✓ Voor robuust en intensief gebruik
- ✓ Temperatuurbereik: Continu gebruik tot +150 °C. Kortstondig gebruik +170 °C.
- ✓ Flexible minimal bending radius

De Nederman uitlaatgasslangen zijn specifiek ontworpen om soepel te zijn en om een lage drukval te handhaven. Ze zijn bestand tegen alle agressieve elementen aanwezig in de uitlaatgassen van diesel en benzine en hebben een hoge mechanische weerstand.

# Uitlaatgasslang NR-CP

---

|                 |    |
|-----------------|----|
| Certificeringen | CE |
|-----------------|----|

---

## Models

|                                                                                     | Item number | Slangtype | Slangdiameter (m) | Slanglengte (m) | Gewicht (kg) |
|-------------------------------------------------------------------------------------|-------------|-----------|-------------------|-----------------|--------------|
|    | 20807962    | NR-CP     | 100               | 5               | 1,15 kg/m    |
|    | 20808162    | NR-CP     | 100               | 10              | 1,15 kg/m    |
|    | 20808362    |           | 125               | 5               | 1,3 kg/m     |
|    | 20808962    | NR-CP     | 150               | 10              | 1,50 kg/m    |
|    | 20808762    | NR-CP     | 150               | 5               | 1,50 kg/m    |
|  | 20820162    | NR-CP     | 75                | 2,5             | 0,83 kg/m    |
|  | 20820262    | NR-CP     | 75                | 5               | 0,83 kg/m    |
|  | 20820362    | NR-CP     | 100               | 2,5             | 1,15 kg/m    |
|  | 20820462    | NR-CP     | 100               | 5               | 1,15 kg/m    |
|  | 20820562    | NR-CP     | 100               | 7,5             | 1,15 kg/m    |
|  | 20808062    | NR-CP     | 100               | 7,5             | 1,15 kg/m    |
|  | 20820662    | NR-CP     | 100               | 10              | 1,15 kg/m    |
|  | 20820762    | NR-CP     | 125               | 2,5             | 1,30 kg/m    |

## Models

|                                                                                     | Item number | Slangtype | Slangdiameter (m) | Slanglengte (m) | Gewicht (kg) |
|-------------------------------------------------------------------------------------|-------------|-----------|-------------------|-----------------|--------------|
|    | 20820862    | NR-CP     | 125               | 5               | 1,30 kg/m    |
|    | 20820962    | NR-CP     | 125               | 7,5             | 1,30 kg/m    |
|    | 20821062    | NR-CP     | 125               | 10              | 1,30 kg/m    |
|    | 20821162    | NR-CP     | 150               | 2,5             | 1,50 kg/m    |
|    | 20821262    | NR-CP     | 150               | 5               | 1,50 kg/m    |
|    | 20821362    | NR-CP     | 150               | 7,5             | 1,50 kg/m    |
|  | 20821462    | NR-CP     | 150               | 10              | 1,50 kg/m    |
|  | 20810762    | NR-CP     | 200               | 5               | 1,90 kg/m    |
|  | 20823962    | NR-CP     | 200               | 10              | 1,90 kg/m    |

# Accessories

|                                                                                     | Accessory                           | Item number |
|-------------------------------------------------------------------------------------|-------------------------------------|-------------|
|    | Rubber sleeve, hose clamp 3" 2pc.   | 20342489    |
|    | Hose suspension DN 75               | 20373615    |
|    | Hose suspension DN 100              | 20373607    |
|    | Hose suspension DN 150              | 20373609    |
|    | Hose Suspension DN 125              | 20373608    |
|    | Rubber sleeve, hose clamp 6" 2pc.   | 20331552    |
|    | Rubber sleeve, hose clamp 4" 2pc.   | 20342490    |
|  | Rubber sleeve, hose clamp 5" 2 pc.  | 20342712    |
|  | Rubber sleeve, hose clamp Ø200      | 20373838    |
|  | Quick coupler 100mm (2 pcs)         | 20374641    |
|  | Connection kit 4" for quick coupler | 20375048    |
|  | Mechanical quick coupler 4", male   | 20375049    |
|  | Safety Coupling 6" male             | 20376017    |

# Accessories

|                                                                                     | Accessory                        | Item number |
|-------------------------------------------------------------------------------------|----------------------------------|-------------|
|    | Hose coupling 100 (4")           | 20947410    |
|    | Hose coupling 125 (5")           | 20948710    |
|    | Hose coupling 150 (6")           | 20948810    |
|    | Hose coupling 200 (8")           | 20948910    |
|    | Y adapter 3x4" Nrcp hose         | 20374276    |
|   | Quick coupling D=100 (4") male   | 20947710    |
|  | Quick coupling D=100 (4") female | 20948110    |
|  | Quick coupling D=150 (6") female | 20948310    |
|  | Quick coupling D=150 (6") male   | 20947910    |
|  | Connection set 3"                | 20373286    |
|  | Connection set 4"                | 20373287    |
|  | Connection set 5"                | 20373288    |
|  | Connection set 6"                | 20373289    |

## Accessories

|                                                                                     | Accessory                    | Item number |
|-------------------------------------------------------------------------------------|------------------------------|-------------|
|    | Connection set 8"            | 20373290    |
|    | Bend 4".                     | 20344591    |
|    | Bend 5".                     | 20344592    |
|    | Bend 6".                     | 20344593    |
|    | Safety coupling 4"           | 20374541    |
|   | Safety coupling 6"           | 20374543    |
|  | Connector 6"-5". steel.      | 20344353    |
|  | Connector 5"-4". steel.      | 20344354    |
|  | Connector 4"-3". steel.      | 20342483    |
|  | Hose suspension DN 100 - 150 | 20374530    |
|  | Junction pipe d=160          | 20371413    |

