

# Hose Reel 889

Medium sized open hose reel.



## Hose Reel 889




- ✓ Outlet position can be adjusted through 120° for optimum pull-out and pull-in angle.
- ✓ Spring power can easily be adjusted from the outside.
- ✓ Ratchet easily disengaged when required.

Fitted with slightly larger drums and therefore are able to take longer hoses than Series 888. Thanks to the open design, the reels are very easy to service, maintain and keep clean. Can be installed on wall or on the ceiling.














# Hose Reel 889

[ProductCertifications]	[ce]
[ProductMedia]	[air], [water], [waterhighpressure], [oil], [adblue]
Connection hose length (ft)	3



Models

	Item no	Type of hose	Media	Delivered with hose	Corrosion resistance	Electric/Spring driven
	30826889	B	[air], [water]	[With]	[Standard]	[Spring]
	30806789	I	[oil]	[With]	[Standard]	[Spring]
	30806889	B	[air], [water]	[With]	[Standard]	[Spring]

## Accessories

	Accessory	Item no
	Pivoting bracket.	30372407
	Water gun in chromium plated brass	30400110
	Water gun in stainless steel	30400210
	Watergun EX	30400211
	High temperature water gun	30400310
	Swivelling coupling 3/8(m)-3/8(m)HP	30431310
	Swiv. coupling 3/8(m)-3/8(m) HP SS	30431410
	Swivl. coupl.1/2(m)-3/8(f) brass	30431510
	Swivl.coupl.1/2(m)-1/2(f) brass	30431610
	Swivel coupling 1/2(m)- 3/4 (f) bra	30431710
	Swivl. coupl. 1/2(m)-3/8(f) SS	30431810
	Swivl coupl. 1/2(m)-1/2(f) SS	30431910
	Swivl.coupl.1/2(m)-3/4(f) SS	30432010

Accessories

	Accessory	Item no
	Inlet kit for hose reel 1/2"	30511550
	Inlet kit for hose reel	30511650

