

Product leaflet

# Suction hose W



#### Suction hose W

Application areas light and flexible plastic hose. Mainly used for extraction of fumes from welding torches within tegrated extractor or nozzle

2025-12-04 2/5

# Suction hose W

[ProductStandards]	Designed for ISO 21904 compliance
--------------------	-----------------------------------

## Models

Item no	Max vakuum (in. wg)	Diameter (in)	Length (ft)
40161253	8,7	50	66
40161263	8,7	63	66
40161283	8,7	44	66
40160292			
40160272			
40376009	8,7	44	16
40376010	8,7	44	33
40376011	8,7	51	16
40376012	8,7	51	33
40376014	8,7	63	33

## Accessories

	Accessory	ltem no
	30M Vacuum Hose Storage Hanger - 4.5 in x 3 in (115 mm x 70 mm) for 1.5 in (38 mm) hose up to 16 ft (5 m)	40195450
	$60$ M Vacuum Hose Storage Hanger - $6$ in $\times$ $4.25$ in ( $150$ mm $\times$ $110$ mm) for $1.5$ in ( $38$ mm) hose up to $33$ ft ( $10$ m)	40195451
	120M Vacuum Hose Stroage Hanger - 8 in x 6.25 in (200 mm x 160 mm) for 1.5 in (38 mm) hose up to 66 ft (20 m)	40195452
	Floor Tool, Hose and Accessories Metal Wall Storage Rack - 21 in x 20 in x 12 in (542 mm x 490 mm x 305 mm)	40196370
0	Hose clamp 85	40903030
0	Hose clamp 56	40903170
0	Hose clamp 75	40903180
0	Hose clamp 112	40903210
	Hose clamp 104-112 ABA Robust	40903270
	PVC-EPDM Ball Valve Type 353 with (2) hose clamps for vacuum hoses - D = 1.5 in (38 mm)	40615210
	Ball valve Ø44 mm PVC compl.	40376978